



FURNITURE POLISH

Description

Multi-purpose aerosol furniture polish. A polish suitable for furniture, tiles, marble, stainless steel and most plastic and vinyl coated surfaces.

Benefits and Features

Specially developed with superfine waxes and silicones to leave a deep gloss, this effective polish cleans and shines as you dust leaving a pleasant perfume. Removes finger marks, surface dirt, smudges, etc. Our new formula resists dust and finger marking and feeds and restores shine to faded furniture.

Directions for Use

Easy to apply. Shake the can well. Hold the can upright 10"-12" away from surface, spray, then a simple light wipe with a duster brings out the shine.

Hazards

In use, may form flammable / explosive vapour-air mixture. Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn even after use. Do not spray on a naked flame or any incandescent material. Prolonged contact with product may result in the removal of essential fats and may result in dermatitis unless good hygiene is used. Deliberately concentrating and inhaling contents of this container is dangerous and can be fatal.

Risk Phrases

- R12: Extremely flammable.

Safety Phrases

- S2: Keep out of the reach of children.
- S16: Keep away from sources of ignition - No smoking.
- S23: Do not breathe vapour or spray.
- S24/25: avoid contact with skin and eyes.
- S51: Use only in well ventilated areas.



Packaging

12 x 400ml aerosol spray cans packaged in a strong cardboard outer.

SPD919

14

Storage: Avoid extremes of temperature. Shelf life unopened approx. 1 year.

Precautionary phrases: Safety data sheet available for professional user on request.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions that complete these regulations. Refer to all applicable national, international and local regulations or provisions.

Staples Disposables Ltd.
Hurlingham Business Park
Fulbeck Heath, Grantham
Lincolnshire NG32 3HL
Tel: 01400 262800
Fax: 01400 262811
info@staplesdisposables.com

SAFETY DATA SHEET

FURNITURE POLISH

Page 1

Issued: 17/12/2008

Revision No: 4

Sent to: Staples Disposables Ltd

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: FURNITURE POLISH

Product code: SPD919

Company name: Staples Disposables Ltd
Hurlingham Business Park
Fulbeck Heath
Grantham
Lincolnshire
NG32 3HL
Tel: 01400 262800
Fax: 01400 262811
Email: info@staplesdisposables.com

2. HAZARDS IDENTIFICATION

Main hazards: Extremely flammable.

Other hazards: In use, may form flammable / explosive vapour-air mixture.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: BUTANE 1-10%
EINECS: 203-448-7 CAS: 106-97-8
[F+] R12

- ODOURLESS KEROSENE 1-10%
EINECS: 265-149-8 CAS: 64742-47-8
[Xn] R65
- DIPHENYL ETHER <1%
CAS: 101-84-8
[N] R51/53

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

4. FIRST AID MEASURES (ACTION)

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

[cont...]

SAFETY DATA SHEET

FURNITURE POLISH

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder.

Exposure hazards: Highly flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture. Vapour may travel considerable distance to source of ignition and flash back.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details. Eliminate all sources of ignition.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Do not use equipment in clean-up procedure which may produce sparks. Absorb into dry earth or sand. Clean-up should be dealt with only by qualified personnel familiar with the specific substance.

7. HANDLING AND STORAGE

Handling requirements: Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.

Suitable packaging: Must only be kept in original packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Hazardous ingredients: BUTANE
WEL (8 hr TWA): 1450 mg/m³ WEL (15 min STEL): 1810 mg/m³

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.

Respiratory protection: Respiratory protection not required.

Hand protection: Avoid skin contact.

Eye protection: Avoid contact with eyes.

Skin protection: Avoid skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: Off-white

Odour: Characteristic odour

Solubility in water: Slightly soluble

Flash point°C: -20

Relative density: Heavier than air.

pH: na

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions. Stable at room temperature.

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

Materials to avoid: Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

12. ECOLOGICAL INFORMATION

Mobility: Readily absorbed into soil.

Persistence and degradability: Biodegradable.

Bioaccumulative potential: No bioaccumulation potential.

Other adverse effects: Negligible ecotoxicity.

13. DISPOSAL CONSIDERATIONS

Disposal of packaging: Aerosol. Do not pierce or burn after use.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

ADR / RID

UN no: 1950

ADR Class: 2

Classification code: 5F

Shipping name: AEROSOLS

Labelling: 2.1



IMDG / IMO

UN no: 1950

Class: 2

EmS: 2-13

Marine pollutant: .

Labelling: 2.1

IATA / ICAO**UN no:** 1950**Class:** 2**Labelling:** 2.1**15. REGULATORY INFORMATION****Hazard symbols:** Extremely flammable.**Risk phrases:** R12: Extremely flammable.**Safety phrases:** S2: Keep out of the reach of children.

S16: Keep away from sources of ignition - No smoking.

S23: Do not breathe ...

S24/25: Avoid contact with skin and eyes.

S51: Use only in well-ventilated areas.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION**Risk phrases used in s.3:** R12: Extremely flammable.

R65: Harmful: may cause lung damage if swallowed.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.